



ELELCTRIFIED LOCKING HARDWARE

commandaccess.com

888-622-2377

CATALOG 2026



MORTISE LOCKS



ALL SERIES: Grade 1 Chassis • Schlage L9000 Retrofit • Field Handable • 3-Year No-Hassle Warranty • Built in the USA

SOLENOID LEVER CONTROL — ML1-CAT

Reliable access control integration, proven solenoid technology.

- 12V or 24VAC/DC operation
- Continuous duty solenoids — fail-safe ready
- Functions: Classroom, Storeroom, Institutional, Privacy, Entry
- Field-reversible EU/EL

MOTORIZED LATCH RETRACTION — ML1-CAT-MLR

Industry first: motorized latch retraction in a mortise lock.

- CAT-designed motor for maximum pulling force
- ADA, auto-operator & push-pull ready
- Smart module with diagnostics & latch sensing
- Up to 300' wire runs — centralized power placement

MOTORIZED LEVER CONTROL — ML1-CAT-M

Ultra-low power motor tech. The energy-conscious choice.

- 11–30VDC wide voltage range
- POE compatible — 400mA peak, 10mA hold
- Push-button EU/EL field selection, no wire cutting
- True cycle feature ensures proper motor positioning

STRIKE POWERED MORTISE LOCK — ML1-CAT-SP

NEW

All the motorized performance. Zero door prep hassle.

- Skip door coring and power transfer hinges entirely
- Strike-powered module — no traditional wiring challenges
- Same specs & functions as ML1-CAT-M
- Revolutionizes retrofit installs

WE ALSO ELECTRIFY OEM MORTISE LOCKS

Accurate 9100 | Best 35 & 45 | Cal Royal M8000 | Corbin Russwin 2000 | Falcon MA | Sargent 8200 | Yale 8800 | Schlage L9000

GRADE 1 ANSI/BHMA


UL LISTED

FIELD HANDABLE

USA MADE



CYLINDRICAL LOCKS




CL190



LPM190

PATENT PENDING



ML190



ALL SERIES: Standard 161 Prep • Grade 1 ANSI/BHMA • UL Listed • Built in the USA • No-Hassle Warranty

HEAVY DUTY MOTORIZED LEVER — CL1-CATHD-M

Built for demanding, continuous-duty applications.

- 11–30VDC auto-voltage detection
- Ultra-low power: 300mA peak, 100mA hold
- Field-selectable EU/EL via dip switch
- Built-in REX switch available
- 5-year no-hassle warranty

MOTORIZED LATCH RETRACTION — CL1-CATHD-MLR

Industry first: motorized latch retraction in a cylindrical lock.

- CAT motor assembly — maximum pulling force
- ADA, auto-operator & push-pull ready
- Smart module with diagnostics & latch sensing
- Up to 300' wire runs
- UL listed 3-hr, single doors up to 4'x8'

NEW

LOW ENERGY COST-EFFECTIVE — CL1-CAT-LE NEW

Motor-like performance without the motor price tag.

- 11–30VDC universal input with auto-detection
- 400mA surge, 30mA hold
- Built-in REX switch standard
- Ideal for continuous duty on a budget

TRADITIONAL SOLENOID — CL1-CAT

Proven, time-tested solenoid reliability.

- 12V or 24VAC/DC operation
- 250mA (12V) / 150mA (24V)
- Continuous duty solenoids — fail-safe ready
- Available with SFIC or LFIC cylinders

WE ALSO ELECTRIFY OEM CYLINDRICAL LOCKS

Best 93K | Cal Royal CGN | Corbin Russwin 3300 | Marks 195F | Sargent 10 Series | Schlage ND Series

GRADE 1 ANSI/BHMA

UL LISTED

161 PREP


PATENT PENDING

USA MADE



EXIT TRIM

NEW



ETK-M-996L



LPM190



ML190



ALL SERIES: Field-Reversible Handing • Auto-Voltage Detection • REX Options • Built in the USA

HEAVY DUTY MOTORIZED — ET27-M SERIES

Premium trim for high-use environments & stairwell conditions.

- 11–30VDC auto-voltage detection
- 300mA peak, 15mA hold — ideal for POE
- Field-selectable EU/EL via simple switch
- Compatible: CAT PD27/28, Von Duprin 99/98, Marks M9900, Detex Advantex®
- Optional request-to-enter switch
- 5-year no-hassle warranty

FIELD INSTALLABLE MOTORIZED KIT — ETK-M-996L NEW

Have a solid Von Duprin 996L? Don't swap it — upgrade it.

- Field electrifies Von Duprin 996L R/V or M series
- 11–30VDC auto-voltage detection
- 300mA peak, 15mA hold — POE friendly
- Field-selectable EU/EL
- Optional REX for pairing with Chexit devices

TRADITIONAL ELECTRIFIED TRIM — ET15 SERIES

Cost-effective fail-safe for stairwells & storefront devices.

- Works with CAT PD15, CRL 1285/1295, AHT 8000/9000
- 12V or 24VAC/DC (specify voltage)
- Low draw: 250mA (12V) / 150mA (24V)
- Internally mounted solenoid — no special door prep
- 3-year warranty

KEY APPLICATIONS AT A GLANCE

- ET27-M** High-use & stairwell. Pair with PD28 for premium combo.
- ETK-M-996L** Keep existing VD 996L, add access control in the field.
- ET15** Jackson storefront & cost-sensitive fail-safe applications.

WE ALSO ELECTRIFY OEM EXIT TRIM

Cal Royal NESC22/77/98 | Design Hardware LE | Falcon 510 | Sargent 700 | Von Duprin 230L, 360L, 996L

GRADE 1 ANSI/BHMA

FIELD REVERSIBLE

AUTO-VOLTAGE


USA MADE



EXIT DEVICES



PD10-M



PD18-M



PD15-M



ALL SERIES: MM5 Smart Module • PTS Push-to-Set • Electric Dogging • 300' Wire Runs • 3-Year Warranty

PD10-M SERIES

First Choice / Dor-o-matic Retrofit

Built-in MLRK1-FAL17 technology

- Retrofits FC 3600/3700 & Dom 1600/1700
- MM5 Smart Module — on-board diagnostics
- 1-Touch PTS adjustment
- Electric dogging with auto re-engage
- Up to 300' runs with 18ga wire

PD15-M SERIES

Jackson / Kawneer Retrofit

Built-in MLRK1-JAC12 technology

- Retrofits Jackson 1285/95 & Kawneer 1686/1786
- Uses existing mounting — no door removal
- Fast, quiet motorized latch retraction
- RIM (non-handed) & CVR configurations
- Compatible with most 24VDC supplies

PD18-M SERIES

Adams Rite Retrofit

Built-in MLRK1-AR technology

- Retrofits Adams Rite 8800 & 8600 SE
- Slim profile — fits narrow stile doors
- Maintains factory dogging + adds electric
- Fast 5-sec PTS calibration
- Low profile fits where others won't

WHY COMPLETE DEVICES VS. RETROFIT KITS?

Sometimes 25-year-old hardware isn't worth upgrading. Get everything new while still matching existing prep and mounting locations.

MM5 SMART MODULE

PTS TECHNOLOGY



UL GRADE 1

ELECTRIC DOGGING

USA MADE



EXIT DEVICES



ALL MODELS: Grade 1 UL/ULC • 3-Hr Fire Rated • PTS Push-to-Set • Cart-Resistant • 3-Year Warranty • USA Made

PLATFORM FEATURES — PD27 WIDE STILE & PD29 NARROW STILE

- True 2-3/4" backset
- Heavy-duty flush end caps
- Cart-resistant tapered pushbar
- 36" or 48" lengths
- 3-1/2" min wide stile compatible
- Simple field installation
- Fire & panic UL/ULC listed
- PTS field adjustment
- Compatible with CA power supplies

THREE CONFIGURATION OPTIONS

1. Motorized Latch Retraction (MLR)

- 24–26.5VDC operation
- 900mA peak / 215mA hold
- ADA & access control ready
- PTS adjustment ~1/4"

2. Delayed Egress (DE)

- Programmable delay settings
- Security-sensitive applications
- Life safety code compliant

3. Alarm Kit (ALK)

- 95dB siren, auto-silence (7/3/1 min)
- Red LED armed indicator
- 1-year battery life
- Optional hardwire & relay output

ADDITIONAL OPTIONS & MODELS

- REX (Request-to-Enter) switch
- Electrified ET27 trim for fail-safe stairwells
- Finishes: 605, 606, 613, 622, 625, 626/630

PD27-M — Wide stile, MLR

PD27F-M — Wide stile, MLR, Fire Rated

PD29-M — Narrow stile, MLR

PD29F-M — Narrow stile, MLR, Fire Rated


GRADE 1 UL/ULC

3-HR FIRE RATED

PANIC HARDWARE

CART RESISTANT

USA MADE



ALL KITS: MM5 Smart Module • PTS Push-to-Set • 300' Wire Runs • Electric Dogging • Quick Connect • 30+ Brands

MLRK1-VD — VON DUPRIN POWERHOUSE

Industry-standard compatibility for Von Duprin installs.

- Compatible: Von Duprin 33/35 & 98/99 series
- Works with existing QEL kits
- Field or factory REX options

MLRK1-FAL17 — FALCON & FIRST CHOICE

Built-in REX, clean install, no drama.

- Compatible: Falcon 16/17 & First Choice 36/37
- 900mA peak / 200mA hold
- Built-in REX: SPDT @ 0.5A/24V
- Cutdown: 36" (-1.25"), 48" (-1.25")

MLRK1-JAC12 — JACKSON & KAWNEER

Handles 1285/1295 and Kawneer 1686/1786 with ease.

- Compatible: Jackson 1285/95, Kawneer 1686/1786, AHT 8/9
- 900mA peak / 215mA hold
- Requires linear locking hardware power supply
- Cutdown: 36"/48" (-7" filler plate needed)

UNIVERSAL SPECIFICATIONS

Voltage: 24VDC \pm 10% (28VDC protection) • Wire: 300' max with 2-18ga • Connector: Quick-connect Molex • PTS Range: \sim 1/4"

MM5 SMART MODULE

PTS TECHNOLOGY

ELECTRIC DOGGING

30+ BRANDS

USA MADE

MLRK1-AR — ADAMS RITE SPECIALIST

Narrow stile expert. One hole is all you'll drill.

- Compatible: AR 82/84/86/88 & P-series
- 1.4A peak / 200mA hold — high torque
- Optional built-in REX
- Cutdown: 36" (-0.75"), 48" (-5")

MLRK1-SGT — SARGENT & MULTI-BRAND

One kit, multiple brands covered.

- Compatible: Sargent 80, Cal Royal 98/22, Dorex 9500, Arrow 1000
- 900mA peak / 215mA hold
- Works on Sargent 5CH devices
- Cutdown: 36" (-2"), 48" (-8")

MLRK1-MRK — MARKS & DESIGN HARDWARE

Dual energy modes for problem doors.


- Compatible: Marks M9900 & Design Hardware 1000
- MM4S Smart Module — dual energy modes
- Switchable: Standard (900mA/215mA) or High Torque (2A/250mA)
- Attaches to dogging post in minutes




MLRKI'S



MLRK1-HAG



MLRK1-SGT



MLKR1-JAC12



MLRK1-VD

ARCHITECTURAL DEVICES

Von Duprin	33/35 & 98/99
Von Duprin	22 Series
Von Duprin	AX 33/35 & 98/99
Sargent	80 Series
Falcon	24/25 Series
Corbin Russwin	4000/5000 Series
Dorma	9000 Series
Marks	M9900 Series
Marks	M8800 Series
Cal Royal	22 & 98 Series
Cal Royal	7700 Series
Hager	4500/4600 Series
Yale	7000 Series
Arrow	1000 Series
Design Hardware	1000 Series

STOREFRONT DEVICES

MLRK1-VD	Adams Rite	82/84/86/88 Series
MLRK1-VD22	Adams Rite	Ex Series
MLRK1-VDAX	Jackson	1285/1295 Series
MLRK1-SGT	Kawneer	1686/1786 Series
MLRK1-FAL25	Kawneer	Paneline
MLRK1-COR	Falcon	16/17 Series
MLRK1-DOR	First Choice	36/37 Series
MLRK1-MRK		
MLRK1-MRK8		
MLRK1-CAL		
MLRK1-CAL77		
MLRK1-HAG		
MRK1-COR		
MLRK1-ARW		
MLRK1-MRK		

MLRK1-AR
MLRK1-AREX
MLRK1-JAC12
MLRK1-JAC12
MLRK1-KAWP
MLRK1-FAL17
MLRK1-FAL17

UNIVERSAL SPECS

- Voltage: 24VDC ±10% | 28VDC protection
- Wire Run: Up to 300' with 2-18ga
- Connector: Quick-connect Molex
- PTS Range: ~1/4"
- Warranty: 3-yr (5-yr with CA power supplies)
- Certifications: UL Listed where applicable

INSTALLATION SUPPORT & RESOURCES

Knowledge Base: commandaccess.com/support — wiring diagrams, install guides, field notes

Video Library: Step-by-step install videos for every manufacturer series

Technical Support: US: 888-622-2377 | Canada: 855-823-3002

COST EFFECTIVE

NO DOOR REMOVAL

MM5 DIAGNOSTICS

30+ BRANDS

USA MADE



PACKAGES




UBPK1


Includes everything needed for a single occupancy restroom ADA accessible & secure insuring privacy. *All you need to add is low energy operator of choice.*

UBPK2

Includes everything needed for a single occupancy restroom ADA accessible & secure insuring privacy. *Includes heavy duty low energy operator.*



MLRK1+AO PACKAGES



UNIVERSAL BATHROOM PRIVACY PACKAGES

UBPK1 — Complete ADA restroom package, excluding operator

UBPK2 — Turnkey with CAT-HDO-1000 operator included

- Only latch pullback + lever control mortise lock on the market
- Complete point-to-point wiring diagrams included
- Touchless activation standard
- Emergency override kit available
- Factory tested as a complete package

MLRK1 SECURITY PACKAGES

SSP1 — Basic Security Package

- MLRK1 kit (your choice of manufacturer)
- PS220/220B power supply
- Point-to-point wiring diagram
- 5-year warranty when purchased together

SSP2 — Enhanced Security Package

- MLRK1 kit with built-in REX
- PS220/220B power supply
- CAT field tester included
- Point-to-point wiring diagram
- 5-year warranty

NEW CONSTRUCTION PACKAGE

NCP1 — Standard New Construction

- PD27-M exit device
- PS220/220B power supply
- Point-to-point wiring diagram
- Pre-installation consultation

WHY ORDER A PACKAGE?

- Everything is spec'd to work together — no compatibility guessing
- Extended 5-year warranty vs. standard 3-year
- One order, one invoice, one less headache
- Factory-tested configurations reduce callbacks
- Wiring diagrams included — job site ready out of the box

5-YR WARRANTY

FACTORY TESTED


WIRING INCLUDED

ONE INVOICE

USA MADE



POWER SUPPLIES



ALL MODELS: 24VDC Output • UL 294 6th Edition • Solid-State Outputs • Battery Backup Options • Fire Alarm Link • USA Made

Purpose-built for electrified locking hardware. While your access control panel handles the thinking, our linear supplies handle the heavy lifting.

Solid-State Outputs: Protects system relays from voltage spikes

Battery Backup: Interruption-free power with independent charging circuit

Fire Alarm Link: Integrates with fire alarm systems for fail-safe operation

Built for Hardware: Spec'd for motorized latch retraction & solenoid-driven locks

PS LINE 24VDC	AMPERAGE (CONTINUOUS)	AMPERAGE (BOOST)	INPUTS	OUTPUTS	BATTERY BACK-UP	FIRE ALARM LINK	24V POWER TAP (CONSTANT POWER)	LOCKING HARDWARE (MORTISE /CYLINDRICAL LOCK/EXIT TRIM)	LOCKING HARDWARE (MOTORIZED EXIT DEVICES)	LOCKING HARDWARE (SOLENOID EXIT DEVICE PM300)	LOCKING HARDWARE (SOLENOID EXIT DEVICE LPM/PM300HO)	METAL ENCLOSURE
PS210	1.5	2.5	1	1	-	-1	-	2 ²	2 ²	2 ²	2 ²	S
PS220	2	3	2	2	-	✓	✓	2	2	2	2	S
PS220B	2	3	2	2	✓	✓	✓	2	2	2	2	L
PS440B	4	6	4	4	✓	✓	-	4	4	4	3	L
PS480B	4	6	8	8	✓	✓	-	8	8	8	-	L
PS204	2	3	4	4	-	✓	-	4	4	-	-	S
PS204B	2	3	4	4	✓	✓	-	4	4	-	-	L



S = Small enclosure (11"x11"x4") | L = Large enclosure (13"x15.5"x5") | Battery backup optional where noted
 UL 294 6th Edition Listed | 24VDC output | Priced to keep your project budget intact.

UL 294 6TH ED.

SOLID-STATE


BATTERY BACKUP

FIRE ALARM LINK


USA MADE



CATFT



VC SERIES



POD MODULE



The right tool turns a callback into a close-out. Keep these on the truck.

CATFT SERIES — FIELD TESTER

Diagnose power, signal, and wiring issues on the spot.

- Tests motorized and solenoid locking hardware
- Eliminates guesswork — know before you leave
- Compact, truck-ready design

IDPS — DOOR CONTACTS

Reliable door position sensing for access control integration.

- Surface or mortise mount options
- NC/NO configurations available
- Works with most access control panels

DS1 & DS1X — DOOR SEQUENCERS

Add to PS series for latch retraction + auto-operator control.

- Ensures proper door sequencing every time
- Prevents hardware damage from improper activation
- Simple add-on to existing power supply

VD2-873 & VD2-914 — VD RETROFIT CARDS






Breathe new life into aging Von Duprin power supplies.

- VD2-873: Retrofits VD 871-2 card
- VD2-914: Retrofits VD 914-2RS
- Drop-in replacement — no panel swap needed

VC SERIES — VOLTAGE CONVERTERS

Create a 12V or 24V power channel from existing supply.

- Adds voltage channel without new power supply
- Compact inline design
- Ideal for mixed-voltage installations

<p>IDPS - DOOR CONTACTS</p> 	<p>VD2-873 - RETROFITS VD 871-2 CARD VD2-914 - RETROFITS VD 914-2RS</p> 	<p>DS1 & DS1X - DOOR SEQUENCERS ADD TO PS FOR LATCH RETRACTION + AUTO-OPERATORS</p> 	<p>VC SERIES - CREATES A 12V POWER CHANNEL CREATE A 24V POWER CHANNEL</p> 	<p>CATFT SERIES - FIELD TESTER</p> 
--	---	---	--	--

CAT EVERY DAY CARRY BAG

Stock your truck with the tools that solve problems before they become callbacks. Ask your rep about the CAT EDC bundle.

- FIELD TESTER
- DOOR CONTACTS
- DOOR SEQUENCER
- VOLTAGE CONVERTER
- VD RETROFIT CARDS



POWER TRANSFERS



ETH4W4545-626 5SW



CAT EPT



NDL18






PIVOT HINGE



DL20



CONCEALED DOOR LOOP



RETROFITS RIXSON EM19

Reliable power delivery from frame to door. More wire, fewer failure points — that's the CAT difference.

ETH — ELECTRIC TRANSFER HINGES, PIVOTS & MORE

- 4' lead wire included at no extra charge
- Configurations up to 12WH (2-20ga + 10-28ga)
- Compatible: Von Duprin, Ives, Schlage systems
- Up to 300' wire run capability
- Plug & play with optional connectors
- CAT pivot retrofits Rixson EM19 applications
- 3-year warranty — best in the business

CAT-EPT SERIES — VON DUPRIN EPT REPLACEMENT

- Direct replacement for Von Duprin EPT with enhanced reliability
- Available in 2W & 10WH configurations
- 18/20ga power wires standard
- Add VD plug connector for plug & play
- CON connectors for seamless integration

CDL — CONCEALED DOOR LOOP

- Perfect when traditional hinges won't work
- Flexible armored cable handles full door movement
- Ideal for glass doors & specialty hinge applications
- Professional appearance — concealed wiring
- Built for high-cycle applications

UNIVERSAL ADVANTAGES

- Better gauge wire — fewer connection points
- Minimize failure points with quality construction
- Match any manufacturer's prep requirements
- We modify just about anything that swings
- Full compatibility list at commandaccess.com

Don't see your application? We retrofit pretty much everything. Call us — if it swings, we can get power to it.

3-YR WARRANTY

300' WIRE RUNS

PLUG & PLAY

VD EPT COMPATIBLE

USA MADE



ALWAYS HERE TO HELP!

Welcome to Command Access! Since 1999, we've been revolutionizing the electric locks and access control industry with our innovative solutions, high-quality products, and unparalleled customer service. Here's what sets us apart:



- **Innovative Leaders:** Always first to market with groundbreaking technology.
- **Uncompromising Quality:** Our products are rigorously tested and we hold several patents.
- **Personalized Service:** We answer the phone with a live voice, Monday through Friday, 7:30 AM to 4:30 PM PST.
- **Customer Satisfaction:** Our customer service department strives to deliver excellent satisfaction every time.
- **Convenient Support:** Our live chat, operated by our knowledgeable customer service team, makes it easy to get in touch, especially for multitaskers.
- **Quick Turnaround:** We aim to ship stock items within 72 hours and non-stock items within 5-10 days. If we can ship sooner, we sure try!
- **No Hassle Warranty:** Enjoy peace of mind with our 3-year warranty on all products.
- **Proudly American:** All our products are manufactured in the USA with top-notch craftsmanship.
- **Expert Assistance:** Our tech support team is always ready to assist and provide training.

At Command Access, we blend technology with exceptional customer care to deliver superior electric locks and access solutions.

Manufacturing a future where trust is built-in and innovation is always on



Innovation



People First



Trust



Passion to Deliver

ALWAYS HERE TO HELP!



ELELCTRIFIED LOCKING HARDWARE

22901 LA PALMA AVE YORBA LINDA CA 92887

commandaccess.com

888-622-2377



**COMMAND
ACCESS**